

## BLUE N TANK-MIX COMPATIBILITY in CEREALS

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add Blue N to the tank mix last. Use a Minimum water volume of 200l/ha when using Blue N in tank mix.

This version supersedes all previous editions

<b>BOLD CAPITALS</b> = Physically & Biologically Compatible	<i>(Italics in brackets)</i> = Sprayable with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	<b>(BOLD ITALIC IN BRACKETS)</b> = Biologically compatible - maintain constant agitation	RED CAPITAL ON BLUE = CROP INJURY

### Adjuvants

Activator 90	(Codacide)	Silwett L-77
Adigor	Dash HC	Vivolt
Biopower	Kantor	

### Trace Elements

Epostop	Kinsidro Grow	Manganese Sulphate
---------	---------------	--------------------

### Herbicides

Agritox	Hunter	Pelican Delta
Atlantis OD	Hurricane SC	Pixaro EC
Attribut	Incelo + Biopower	Proclus
Axial Pro	Inka SX	Proverb + Biopower
Boxer	Jubilee SX	Quellex
Broadway Star	Leystar	Ratio SX
Broadway Ultra + Phase II	Liberator	Shield Pro
(Chekker OD)	Lontrel 600	Slalom
Counter SX	Manhattan + Phase II	Spitfire
Dakota	Memphis + Phase II	Starane Hi Load
Dingo	Monolith	Starane XL
Easel	Most Micro	Thor
Foxtrot	Nevada	Topik
Galaxy	Omnera LQM	Vixen
Herboxone	Pacifica Plus + Biopower	Zypar
	Palio	

### Fungicides

Amistar	Elatus Era + Univoq	Priaxor EC + Revystar XE
Arizona	Fandango	Priaxor EC
Ascro Xpro	Flexity	Proline 275
Aviator Xpro	Folicur	Prosaro
Caramba	Folicur + Talus	Questar
Comet 200	Fontelis	Revystar XE
Custodia	Helix	Rylox
Cyflufenamid	Imtrex	Takumi SC
Deacon	Kestrel	Talus
Deacon + Talus	Kumulus	Thiopron
Decoy 250EC	Mirage	Univoq
Elatus Era	Monkey	Unix
Elatus Era + Questar	Penncozeb 80WP	Verben

### Insecticides

Clayton Sparta EC	Insyst	Sumi-alpha
Cythrln 500 EC	Karate 2.5 WG	Teppeki
Decis Forte	Mavrik	
Hallmark with Zeon		

### Plant Growth Regulators

3C Chlormequat 750 - max rate 2l/ha	Chlormequat + Sonis	Sonis
Canopy	Medax Max	Stabilan 750 - max rate 2l/ha
chlormequat + Medax Top	Medax Top	Terpal
	Moddus	

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank-mix partner.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

#### Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding in another product. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N.

#### Changes:

New list; 27 Feb 24 - addition of Palio; 14th November 2024 - addition of Broadway Ultra, Incelo, Manhattan, Proverb and Pacifica Plus with adjuvant; 10th March 25 - addition of crop nutrition products

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.  
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK  
All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Blue N contains *Methylobacterium symbioticum* 5B23  
Technical Hotline: 0800 689 8899 | [ukhotline@corteva.com](mailto:ukhotline@corteva.com) | [www.corteva.co.uk](http://www.corteva.co.uk)

## BLUE N TANK-MIX COMPATIBILITY FOR USE IN MAIZE

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

**Always add Blue N to the tank mix last. Use a Minimum water volume of 200l/ha when using Blue N in tank mix.**

**This version supersedes all previous editions**

<b>BOLD CAPITALS</b> = Physically & Biologically Compatible	<i>(Italics in brackets)</i> = Sprayable with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	<b>(BOLD ITALIC IN BRACKETS)</b> = Biologically compatible - maintain constant agitation	RED CAPITAL ON BLUE = CROP INJURY

### Adjuvants

Activator 90	Biopower	Dash HC
Adigor	(Codacide)	Silwett L-77
		Vivolt

### Herbicides

Accent	Dragster + Vivolt	Oceal
Botiga	Dual Gold	Peak
Callisto	Elumis	Principal Forte + Codacide
Callisto + Dragster	Herboxone	Principal Forte + Vivolt
Callisto + Maister	Laudis	Rosan
Callisto + Principal Forte	Leystar	Shield Pro
Camix	Lontrel 600	Titus
Choriste	Maister	Wing P
Dingo	Most Micro	
Dragster + Codacide	Nico Pro 4SC	

### Insecticides

Cythrln 500 EC		
----------------	--	--

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank-mix partner.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

#### Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding in another product. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N.

#### Changes:

New List: 2nd Nov23 - updated list with new herbicides and insecticide; 14th November 2024 - addition of Dragster and Principal Forte mixes. 10th March 25 - addition of Botiga

**USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE. FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL**

Corteva Agriscience™, Unit 14, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Blue N contains *Methylobacterium symbioticum* SB23

Technical Hotline: 0800 689 8899 | [ukhotline@corteva.com](mailto:ukhotline@corteva.com) | [www.corteva.co.uk](http://www.corteva.co.uk)

## BLUE N TANK-MIX COMPATIBILITY FOR USE IN GRASS

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

**Always add Blue N to the tank mix last. Use a Minimum water volume of 200l/ha when using Blue N in tank mix.**

**This version supersedes all previous editions**

<b>BOLD CAPITALS</b> = Physically & Biologically Compatible	<i>(Italics in brackets)</i> = Sprayable with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	<b>(BOLD ITALIC IN BRACKETS)</b> = Biologically compatible - maintain constant agitation	RED CAPITAL ON BLUE = CROP INJURY

Herbicides					
Cabadex		Envy		Shield Pro	
Dingo		Leystar		Sickle	
Doxstar Pro		Kyleo		Thistlex	
Easel		Proclava XL			

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank-mix partner.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

### Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding in another product. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N.

### Changes:

New List; 10th March 25 - addition of Proclava XL

**USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.  
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL**

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Blue N contains *Methylobacterium symbioticum* SB23

Technical Hotline: 0800 689 8899 | [ukhotline@corteva.com](mailto:ukhotline@corteva.com) | [www.corteva.co.uk](http://www.corteva.co.uk)

## BLUE N TANK-MIX COMPATIBILITY FOR USE IN OILSEED RAPE

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add Blue N to the tank mix last. Use a Minimum water volume of 200l/ha when using Blue N in tank mix.

This version supersedes all previous editions

<b>BOLD CAPITALS</b> = Physically & Biologically Compatible	<i>(Italics in brackets)</i> = Sprayable with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	<b>(BOLD ITALIC IN BRACKETS)</b> = Biologically compatible - maintain constant agitation	RED CAPITAL ON BLUE = CROP INJURY

### Adjuvants

Activator 90	Biopower	Dash HC
Adigor	(Codacide)	Silwett L-77
		Vivolt

### Herbicides

Astrokerb	Fusilade Forte	Lontrel 600
Belkar	Fusilade Max	Panarex
Centium CS	Kerb flo 500	Ralos
Centurion Max	Kerb Flo	Select Prime
Cleancrop Forward	Korvetto	Shield Pro
Dymid	Laser	Sultan 500EC
Falcon	Leopard 5 EC	Targa Super
Fox		VextaDim 240EC

### Fungicides

Amistar	Deacon	Plover
Aviator Xpro	Decoy 250EC	Propulse
Bogard	Folicur	Proline 275
Caramba	Kestrel	Prosaro
Custodia	Mirage	Shepherd
	Monkey	Toprex

### Insecticides

Clayton Sparta EC	Insyst	Sumi-alpha
Cythrini 500 EC	Karate 2.5 WG	Teppski
Decis Forte	Mavrik	Tracer
Hallmark with Zeon	Steward	

### Plant Growth Regulators

Calyx		
-------	--	--

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank-mix partner.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

#### Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding in another product. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N.

#### Changes:

New List, 2nd November 2023 - updated with new herbicides and fungicides; 14th November 2024 - added Astrokerb, Kerb Flo 500, Plover and Shepherd

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.  
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK  
All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

Blue N contains *Methylobacterium symbioticum* SB23  
Technical Hotline: 0800 689 8899 | [ukhotline@corteva.com](mailto:ukhotline@corteva.com) | [www.corteva.co.uk](http://www.corteva.co.uk)

## BLUEN TANK-MIX COMPATIBILITY FOR USE IN SUGAR BEET

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a Minimum water volume of 200l/ha when using BlueN in tank mix.

This version supersedes all previous editions

<b>BOLD CAPITALS</b> = Physically & Biologically Compatible	<i>(Italics in brackets)</i> = Sprayable with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	<b>(BOLD ITALIC IN BRACKETS)</b> = Biologically compatible - maintain constant agitation	RED CAPITAL ON BLUE = CROP INJURY

### Adjuvants

Activator 90	Biopower	Dash HC
Adigor	(Codacide)	Silwett L-77

### Herbicides

Betasana SC	Fusilade Max	Panarex
Bettix WG	Goltix 70SC	Shield Pro
Debut	Laser	Targa Super
Falcon	Leopard 5 EC	Venzar 500SC
Fusilade Forte	Lontrel 600	

### Fungicides

Revystar XE	Thiopron	
-------------	----------	--

### Insecticides

Clayton Sparta EC	Decis Forte	Insyst
Cythrion 500 EC	Hallmark with Zeon	Teppeki

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank-mix partner.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

#### Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of BlueN to the spray tank, wait until fully dissolved and dispersed before adding in another product. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing BlueN.

#### Changes:

2nd November - additional herbicides, fungicides and insecticides added. 14th November 2024 - addition of Debut and Venzar 500SC

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* 5823

Technical Hotline: 0800 689 8899 | [ukhotline@corteva.com](mailto:ukhotline@corteva.com) | [www.corteva.co.uk](http://www.corteva.co.uk)

## BLUE N TANK-MIX COMPATIBILITY FOR USE IN POTATOES

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

**Always add Blue N to the tank mix last. Use a Minimum water volume of 200l/ha when using Blue N in tank mix.**

**This version supersedes all previous editions**

<b>BOLD CAPITALS</b> = Physically & Biologically Compatible	<i>(Italics in brackets)</i> = Sprayable with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	<b>(BOLD ITALIC IN BRACKETS)</b> = Biologically compatible - maintain constant agitation	RED CAPITAL ON BLUE = CROP INJURY

### Adjuvants

Activator 90	Biopower	Dash HC
Adigor	(Codacide)	Silwett L-77

### Herbicides

Basagran SG	Leopard 5 EC	Shotput
Falcon	Most Micro	Titus + Codacide
Fusilade Max	Panarex	Titus + Phase II
Laser	Sencorex Flo	Titus + Vivolt

### Fungicides

Amistar	Nautile DG + Zorvec Endavia	Ranman Top
Calligula	Nautile DG + Zorvec Entecta	Revus
Carial Flex	Option	Signum
Enervin	Option + Proxanil + Zorvec Endavia	Vendetta
Fubol Gold	Option + Zorvec Endavia	Versilus
Gachinko	Option + Proxanil + Zorvec Entecta	Zorvec Endavia
Infinito	Option + Zorvec Entecta	Zorvec Enicade
Lieto	Penncozeb 80WP	Zorvec Entecta
Manzate 75WG + Zorvec Endavia	Percos	Zorvec Entecta + Phase II
Manzate 75WG + Zorvec Entecta	Proxanil	

### Insecticides

Clayton Sparta EC	Decis Forte	Sumi-alpha
Cythrion 500 EC	Insyst	Teppeki (Seed crops only)

This summary sheet provides information on tank-mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank-mix partner.

**Important Note:** Do not use any tank-mix if the mixture cannot be applied within the recommendations for individual products or if specific tank-mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank-mix request please contact your local Corteva representative or call the Technical Hotline on 0800 689 8899

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, PH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank-mix partners. Where only Physical Compatibility or Spray able with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

#### Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of BlueN to the spray tank, wait until fully dissolved and dispersed before adding in another product. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing BlueN.

#### Changes:

New List; 2nd November 2023 - additions to herbicides and fungicides; 14 th November 2024 - addition of new herbicides and fungicides, including Zorvec Entecta; 10th March 25 - addition of Enervin

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* SB23

Technical Hotline: 0800 689 8899 | [ukhotline@corteva.com](mailto:ukhotline@corteva.com) | [www.corteva.co.uk](http://www.corteva.co.uk)