according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version Revision Date: SDS Number: Date of last issue: 05.04.2024 09.04.2024 800080004074 Date of first issue: 05.04.2024 1.1

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Ireland and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

: CONSERVE™ Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Biocidal product, Plant Protection Product

stance/Mixture

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Limited Melbourn Science Park - Cambridge Road - Unit H4, Building H Melbourn Cambridgeshire - SG8 6HB

UNITED KINGDOM

Customer Information : +44 8006 89 8899

Number

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

SGS: +353 818 663 627

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-

H410: Very toxic to aquatic life with long lasting

egory 1

effects.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Disposal:**

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous

waste.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	REACH Registration		
	number		
spinosad (ISO) (reaction mass of	168316-95-8	Aquatic Acute 1;	11.6
spinosyn A and spinosyn D in	434-300-1	H400	
ratios between 95:5 to 50:50)	603-209-00-0	Aquatic Chronic 1;	

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004074	Date of first issue: 05.04.2024

		H410	
		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
Naphthalenesulfonic acid, formal- dehyde ammonium salt copolymer	9069-80-1	Eye Irrit. 2; H319	>= 1 - < 3
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0.05 %	>= 0.025 - < 0.05

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing (chemical re-

sistant gloves, splash protection).

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

If inhaled : Move person to fresh air. If person is not breathing, call an

emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment

advice.

In case of skin contact : Take off contaminated clothing. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

If swallowed : No emergency medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No specific antidote.

Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or

doctor, or going for treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

During a fire, smoke may contain the original material in addi-

tion to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use appropriate safety equipment. For additional information,

refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Prevent from entering into soil, ditches, sewers,underwater.

See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbant

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

be pumped,

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal. Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

See Section 13, Disposal Considerations, for additional infor-

mation.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version Revision Date: SDS Number: Date of last issue: 05.04.2024 1.1 09.04.2024 800080004074 Date of first issue: 05.04.2024

Advice on safe handling : Do not breathe vapours/dust.

Handle in accordance with good industrial hygiene and safety

practice.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leak-

age. Keep in properly labelled containers. Store in accordance

with the particular national regulations.

Advice on common storage : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No

1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	Occupational exposure limit value (8-hour reference period) (particles)	10 mg/m3	IE OEL
		Occupational exposure limit value (8-hour reference period) (total (vapour and particles))	150 ppm 470 mg/m3	IE OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value	
			fects		
Propylene glycol	Workers	Skin contact	Acute systemic ef-		
			fects		
	Remarks:No	Remarks:No data available			
	Workers	Inhalation	Acute systemic ef-		
			fects		
	Remarks:No data available				

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

I	Workers	Skin contact	Acute local effects	
	Remarks:No d	ata available		•
	Workers	Inhalation	Acute local effects	
	Remarks:No d	Remarks:No data available		
	Workers	Skin contact	Long-term systemic effects	
	Remarks:No d	ata available		1
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Skin contact	Long-term local ef- fects	
	Remarks:No d	ata available		
	Workers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Skin contact	Acute systemic effects	
	Remarks:No d	Remarks:No data available		
	Consumers	Inhalation	Acute systemic ef- fects	
	Remarks:No data available			•
	Consumers	Skin contact	Acute local effects	
	Remarks:No d	ata available		
	Consumers	Inhalation	Acute local effects	
	Remarks:No data available			
	Consumers	Skin contact	Long-term systemic effects	
	Remarks:No d	Remarks:No data available		
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Skin contact	Long-term local ef- fects	
	Remarks:No d	ata available		
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry
		weight (d.w.)
	Marine sediment	57.2 mg/kg dry
		weight (d.w.)
	Soil	50 mg/kg dry
		weight (d.w.)

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version **Revision Date:** SDS Number: Date of last issue: 05.04.2024 09.04.2024 800080004074 Date of first issue: 05.04.2024 1.1

8.2 Exposure controls

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Use safety glasses (with side shields). Eye/face protection

Safety glasses (with side shields) should be consistent with

EN 166 or equivalent.

Hand protection

Use gloves chemically resistant to this material when pro-Remarks

longed or frequently repeated contact could occur. Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Skin and body protection Respiratory protection

Wear clean, body-covering clothing.

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.

For most conditions no respiratory protection should be need-

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

ed; however, if discomfort is experienced, use an approved

air-purifying respirator.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid.

Colour : Off-white

Odour : strong

Odour Threshold : No data available

Melting point/freezing point : Not applicable

Boiling point/boiling range : 100 °C

Flammability : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Method: closed cup

Not applicable

Auto-ignition temperature : No data available

pH : 8.24

Concentration: 100 % Method: CIPAC MT 75.1

(neat)

Viscosity

Viscosity, dynamic : 475.6 cP (20 °C)

Solubility(ies)

Water solubility : No data available

Vapour pressure : No data available

Density : 1.0382 g/cm3 (20 °C)

Method: Digital density meter

Relative vapour density : No data available

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

9.2 Other information

Explosives : No

Method: EEC A14

GLP: yes

Oxidizing properties : No

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

Strong acids Strong bases

10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials

Decomposition products can include and are not limited to:

Nitrogen oxides (NOx)

Carbon oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat, male and female): > 17.02 mg/l

Exposure time: 4 h

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version Revision Date: SDS Number: Date of last issue: 05.04.2024 1.1 09.04.2024 800080004074 Date of first issue: 05.04.2024

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Information source: Internal study report

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 5.18 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 454 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 0.25 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Information source: Internal study report

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Species : Rabbit

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version Revision Date: SDS Number: Date of last issue: 05.04.2024
1.1 09.04.2024 800080004074 Date of first issue: 05.04.2024

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Information source: Internal study report

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to

50:50):

Species : Rabbit

Result : No eye irritation

Naphthalenesulfonic acid, formaldehyde ammonium salt copolymer:

Species : Rabbit Result : Eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Corrosive

Respiratory or skin sensitisation

Product:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Remarks : Information source: Internal study report

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to

50:50):

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

1,2-benzisothiazol-3(2H)-one:

Test Type : Local lymph node assay (LLNA)

Species : Guinea pig

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1A.

Germ cell mutagenicity

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Germ cell mutagenicity- As-

sessment

In vitro genetic toxicity studies were negative., Animal genetic

toxicity studies were negative.

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity- As-

sessment

Not mutagenic when tested in bacterial or mammalian sys-

tems

Carcinogenicity

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Carcinogenicity - Assess-

ment

: Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Reproductive toxicity - As-

sessment

In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to

the parent animals.

Did not cause birth defects or other effects in the fetus even at

doses which caused toxic effects in the mother.

1,2-benzisothiazol-3(2H)-one:

Reproductive toxicity - As-

sessment

In animal studies, did not interfere with reproduction., In ani-

mal studies, did not interfere with fertility.

Did not cause birth defects in laboratory animals.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

1,2-benzisothiazol-3(2H)-one:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

STOT - repeated exposure

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Remarks : In animals, Spinosad has been shown to cause vacuolization

of cells in various tissues.

Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

1,2-benzisothiazol-3(2H)-one:

Remarks : Based on available data, repeated exposures are not antici-

pated to cause significant adverse effects.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Based on available information, aspiration hazard could not be determined.

1,2-benzisothiazol-3(2H)-one:

Based on physical properties, not likely to be an aspiration hazard.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 4 g/L

Exposure time: 96 h

Method: OECD Test Guideline 203 or Equivalent

LC50 (Rainbow trout (Oncorhynchus mykiss)): 27 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202 or Equivalent

EC50 (Chironomus sp. (midge)): 0.014 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EbC50 (diatom Navicula sp.): 0.107 mg/l

End point: Biomass Exposure time: 5 d

EbC50 (Pseudokirchneriella subcapitata (green algae)): 39

mg/l

Exposure time: 7 d

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version **Revision Date:** SDS Number: Date of last issue: 05.04.2024 09.04.2024 800080004074 Date of first issue: 05.04.2024 1.1

EC50 (Lemna gibba): 10.6 mg/l

Exposure time: 14 d

EC50 (blue-green alga Anabaena flos-aquae): 6.1 mg/l

Exposure time: 120 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms (Bacteria): > 100 mg/l

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

Toxicity to soil dwelling or-

ganisms

NOEC: 0.0012 mg/l

Species: Daphnia magna (Water flea)

10

LC50: > 970 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organ-

isms

dietary LC50: > 5156 mg/kg diet.

Exposure time: 5 d

Species: Anas platyrhynchos (Mallard duck)

oral LD50: > 2000 mg/kg bodyweight.

Species: Colinus virginianus (Bobwhite quail)

dietary LC50: > 5253 mg/kg diet.

Exposure time: 5 d

Species: Colinus virginianus (Bobwhite quail)

oral LD50: 0.06 micrograms/bee

Exposure time: 48 h

Species: Apis mellifera (bees)

contact LD50: 0.05 micrograms/bee

Exposure time: 48 h

Species: Apis mellifera (bees)

1,2-benzisothiazol-3(2H)-one:

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.74 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: Static

Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.7 mg/l

Exposure time: 48 h

Test Type: flow-through test

Method: OECD Test Guideline 202 or Equivalent

EC50 (Mysid shrimp (Mysidopsis bahia)): 0.99 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.61

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201 or Equivalent

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.108

mg/l

Exposure time: 24 h Test Type: Static

Method: OECD Test Guideline 201 or Equivalent

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0206

mg/l

End point: Growth rate Exposure time: 24 h Test Type: Static Method: (calculated)

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to microorganisms : EC50 (Bacteria (active sludge)): 28.52 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.21 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: flow-through

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.91 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: flow-through test Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 1

12.2 Persistence and degradability

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Biodegradability : Result: Not readily biodegradable.

Biodegradation: < 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

Remarks: 10-day Window: Fail

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version Revision Date: SDS Number: Date of last issue: 05.04.2024 1.1 09.04.2024 800080004074 Date of first issue: 05.04.2024

Stability in water : Test Type: Hydrolysis

pH: 5

Method: Stable

Test Type: Hydrolysis

pH: 7

Method: Stable

Test Type: Hydrolysis

Degradation half life (half-life): 200 - 259 d (25 °C)

pH: 9

Test Type: Hydrolysis

Degradation half life (half-life): 0.84 - 0.96 d

pH: 7

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Not biodegradable

Biodegradation: 24 % Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

12.3 Bioaccumulative potential

Components:

50:50):

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 114 Remarks: For similar active ingredient(s).

Spinosyn A.

Partition coefficient: n-

log Pow: 4.01

octanol/water

Remarks: Bioconcentration potential is moderate (BCF be-

tween 100 and 3000 or Log Pow between 3 and 5).

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 6.95 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 0.99 (20 °C)

pH: 5

Method: OECD Test Guideline 117 or Equivalent

log Pow: 0.63 (10 °C)

pH: 7

Method: OECD Test Guideline 117 or Equivalent

log Pow: 0.70 (20 °C)

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

pH: 7

Method: OECD Test Guideline 117 or Equivalent

log Pow: 0.76 (30 °C)

pH: 7

Method: OECD Test Guideline 117 or Equivalent

log Pow: -0.90 (20 °C)

pH: 9

Method: OECD Test Guideline 117 or Equivalent

12.4 Mobility in soil

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Distribution among environ-

mental compartments

Koc: 35024

Remarks: For similar material(s):

Spinosyn A.

Expected to be relatively immobile in soil (Koc > 5000).

Stability in soil : Dissipation time: 8.68 - 9.44 d

Method: Photolysis

1,2-benzisothiazol-3(2H)-one:

Distribution among environ-

mental compartments

Koc: 104

Method: Estimated.

Remarks: Potential for mobility in soil is high (Koc between 50

and 150)

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an im-

portant fate process.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Naphthalenesulfonic acid, formaldehyde ammonium salt copolymer:

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

Version Revision Date: SDS Number: Date of last issue: 05.04.2024 1.1 09.04.2024 800080004074 Date of first issue: 05.04.2024

Assessment : This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

1,2-benzisothiazol-3(2H)-one:

Assessment : This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Components:

spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Naphthalenesulfonic acid, formaldehyde ammonium salt copolymer:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

1,2-benzisothiazol-3(2H)-one:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

cable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number or ID number

 ADR
 : UN 3082

 RID
 : UN 3082

 IMDG
 : UN 3082

 IATA
 : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (spinosad)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (spinosad)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Spinosad)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Spinosad)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

Labels : 9

EmS Code : F-A, S-F

Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Spinosad)

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

tants (recast)

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of H-Statements

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation Skin Sens. : Skin sensitisation

IE OEL : List of Chemical Agents and Carcinogens with Occupational

Exposure Limit Values - Code of Practice, Schedule 1 and 2

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car-

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



CONSERVE™

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 05.04.2024

 1.1
 09.04.2024
 800080004074
 Date of first issue: 05.04.2024

rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

EC-Number - European Community number REACH - Regulation (EC) No 1907/2006 of the European Parliament and of Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Further information

Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Product code: NAF-313

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / 6N