

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Ireland and may not meet the regulatory requirements in other countries.

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : OPTION™

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide

#### 1.3 Details of the supplier of the safety data sheet

##### COMPANY IDENTIFICATION

##### Manufacturer/importer

Corteva Agriscience UK Limited  
Melbourn Science Park - Cambridge Road - Unit H4, Building H  
Melbourn Cambridgeshire - SG8 6HB  
UNITED KINGDOM

**Customer Information** : +44 8006 89 8899

**Number**

**E-mail address** : SDS@corteva.com

#### 1.4 Emergency telephone number

SGS : +353 818 663 627

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

H302: Harmful if swallowed.

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

Reproductive toxicity, Category 2	H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P260 Do not breathe mist, vapours or spray.  
P280 Wear protective gloves/ protective clothing.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

### Disposal:

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous waste.

### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. REACH Registration number	Classification	Concentration (% w/w)
cymoxanil (ISO)	57966-95-7 261-043-0 616-035-00-5	Acute Tox. 4; H302 Skin Sens. 1; H317 Repr. 2; H361fd STOT RE 2; H373 (Blood, thymus) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	58.2
Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2; H319	>= 3 - < 10
fumaric acid	110-17-8 203-743-0 607-146-00-X	Eye Irrit. 2; H319	>= 1 - < 3

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Never give anything by mouth to an unconscious person. For specialist advice contact the National Poisons Information Service. Healthcare Professionals: (01) 809 2566 or (01) 837 9964 (24h per day –365 days per year). Public Poisons Information Line: (01) 809 2166(8am-10pm).
- If inhaled : Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.
- In case of skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.
- In case of eye contact : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.
- If swallowed : Obtain medical attention. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If victim is conscious: Rinse mouth with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Eye contact may provoke the following symptoms:  
Conjunctivitis.
- Skin contact may provoke the following symptoms:  
Local irritation
- Inhalation may provoke the following symptoms:  
Rhinitis
- Ingestion may provoke the following symptoms:  
Gastrointestinal disturbance  
Nausea  
Diarrhoea  
Vomiting

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. Applying foam will release significant amounts of hydrogen gas that can be trapped under the foam blanket. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to:  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Equipment should conform to EN 12942

Specific extinguishing methods : Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evolution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.  
Avoid dust formation.  
Avoid breathing dust.  
Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

#### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
Pick up and arrange disposal without creating dust.  
Recovered material should be stored in a vented container.  
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Sweep up or vacuum up spillage and collect in suitable container for disposal.  
See Section 13, Disposal Considerations, for additional information.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid formation of respirable particles.  
Handle in accordance with good industrial hygiene and safety

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

---

practice.  
Avoid exposure - obtain special instructions before use.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not get on skin or clothing.  
Do not swallow.  
Avoid contact with eyes.  
Take care to prevent spills, waste and minimize release to the environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

### 7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Sucrose	57-50-1	Occupational exposure limit value (8-hour reference period)	10 mg/m <sup>3</sup>	IE OEL
		Occupational exposure limit	20 mg/m <sup>3</sup>	IE OEL

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

		value (15-minute reference period)		
Fumed silica (generic)	112945-52-5	Occupational exposure limit value (8-hour reference period) (Respirable dust)	2.4 mg/m <sup>3</sup> (Silica)	IE OEL
		Occupational exposure limit value (8-hour reference period) (inhalable dust)	6 mg/m <sup>3</sup> (Silica)	IE OEL

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Phosphoric acid, monosodium salt	Workers	Inhalation	Long-term systemic effects	4.07 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	3.04 mg/m <sup>3</sup>
Sodium sulfate	Consumers	Inhalation	Long-term local effects	12 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	12 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	20 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	20 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Phosphoric acid, monosodium salt	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Intermittent use/release	0.5 mg/l
	Sewage treatment plant	50 mg/l
Sodium sulfate	Fresh water	11.09 mg/l
	Marine water	1.109 mg/l
	Intermittent use/release	17.66 mg/l
	Sewage treatment plant	800 mg/l
	Fresh water sediment	40.2 mg/kg
	Marine sediment	4.02 mg/kg
	Soil	1.54 mg/kg

## 8.2 Exposure controls

### Engineering measures

Provide for appropriate exhaust ventilation and dust collection at machinery.  
Use sufficient ventilation to keep employee exposure below recommended limits.

### Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

### Hand protection

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Gauntlets of 35 cm long or longer shall be worn over the combination sleeve.

### Skin and body protection

: Manufacturing and processing work:  
Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034)

Spray application - outdoor:  
Tractor / sprayer with hood:  
No personal body protection normally required.

Spray application - indoor:  
Motorized greenhouse sprayer:  
Full protective clothing Type 4 (EN 14605)  
Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Nitrile rubber boots (EN 13832-3 / EN ISO 20345).  
Rubber apron  
Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034)  
Mixer and loaders must wear:

Tractor / sprayer without hood:  
Full protective clothing Type 4 (EN 14605)  
Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Backpack / knapsack sprayer:  
Full protective clothing Type 4 (EN 14605)  
Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Mechanical automatized spray application in closed tunnel:  
No personal body protection normally required.

To optimize the ergonomics it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier.  
Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

When exceptional circumstances would require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 2 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).

### Respiratory protection

: Manufacturing and processing work:  
Half mask with a particle filter FFP1 (EN149)

Mixer and loaders must wear:  
Half mask with a particle filter FFP1 (EN149)

Spray application - outdoor:  
Tractor / sprayer with hood:  
No personal respiratory protective equipment normally required.

Tractor / sprayer without hood:  
Low application:  
Half mask with a particle filter FFP1 (EN149)  
Middle-height application:  
Half mask with a particle filter FFP2 (EN149)

Backpack / knapsack sprayer:  
Low application:  
Half mask with a particle filter FFP1 (EN149)  
Middle-height application:  
Half mask with a particle filter FFP2 (EN149)

Mechanical automatized spray application in closed tunnel:  
No personal respiratory protective equipment normally required.

### Protective measures

: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated.  
Only protected handlers may be in the area during application.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : solid, granules

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

Colour	:	brown
Odour	:	very faint
Odour Threshold	:	not determined
Melting point/range	:	No data available
Freezing point	:	Not applicable
Boiling point/boiling range	:	Not applicable
Flammability	:	The product is not flammable.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
pH	:	No data available
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n-	:	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

octanol/water

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

Bulk density : 768 kg/m<sup>3</sup>

Relative vapour density : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : No data available

Evaporation rate : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.  
Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
None known.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

Materials to avoid : Strong acids  
Strong bases

### 10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

Decomposition products can include and are not limited to:

Nitrogen oxides (NOx)

Carbon oxides

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, male and female): 433 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.0 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Information source: Internal study report

##### Components:

##### **cymoxanil (ISO):**

Acute oral toxicity : LD50 (Rat): 960 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

##### **fumaric acid:**

Acute oral toxicity : LD50 (Rat, male): 10,700 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.306 mg/l

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: The LC50 value is greater than the Maximum Attainable Concentration.

Acute dermal toxicity : LD50 (Rabbit): > 20,000 mg/kg

### Skin corrosion/irritation

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Information source: Internal study report

#### Components:

##### **cymoxanil (ISO):**

Species : Rabbit  
Result : Mild skin irritation

##### **Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
Remarks : Information source: Internal study report

#### Components:

##### **Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species : Rabbit  
Result : Eye irritation

##### **fumaric acid:**

Species : Rabbit  
Result : Eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

---

### Respiratory or skin sensitisation

#### Product:

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : May cause sensitisation by skin contact.  
Method : OECD Test Guideline 406  
Remarks : Information source: Internal study report

#### Components:

##### **cymoxanil (ISO):**

Species : Guinea pig  
Assessment : The product is a skin sensitiser, sub-category 1B.

##### **fumaric acid:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.

### Germ cell mutagenicity

#### Components:

##### **cymoxanil (ISO):**

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative in some cases and positive in other cases., Animal genetic toxicity studies were negative.

##### **fumaric acid:**

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

### Carcinogenicity

#### Components:

##### **cymoxanil (ISO):**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

##### **fumaric acid:**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

### Reproductive toxicity

#### Product:

Reproductive toxicity - Assessment : Suspected human reproductive toxicant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

---

### Components:

#### **cymoxanil (ISO):**

Reproductive toxicity - Assessment : Suspected human reproductive toxicant  
Did not cause birth defects or any other fetal effects in laboratory animals.

#### **fumaric acid:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.  
Did not cause birth defects or any other fetal effects in laboratory animals.

### **STOT - single exposure**

#### Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### Components:

#### **Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

#### **fumaric acid:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

### **STOT - repeated exposure**

#### Product:

Target Organs : Blood, thymus, Eyes  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Components:

#### **cymoxanil (ISO):**

Exposure routes : Oral  
Target Organs : Blood, thymus  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **cymoxanil (ISO):**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

Remarks : In animals, effects have been reported on the following organs:  
Blood  
Thymus.

### fumaric acid:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### Aspiration toxicity

#### Product:

Based on physical properties, not likely to be an aspiration hazard.

#### Components:

##### cymoxanil (ISO):

Based on physical properties, not likely to be an aspiration hazard.

##### Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Based on physical properties, not likely to be an aspiration hazard.

##### fumaric acid:

Based on physical properties, not likely to be an aspiration hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 35 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Information source: Internal study report

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 10.7 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

aquatic invertebrates                      Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Information source: Internal study report

Toxicity to algae/aquatic plants                      : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Information source: Internal study report

### **Components:**

#### **cymoxanil (ISO):**

Toxicity to fish                      : LC50 (Lepomis macrochirus (Bluegill sunfish)): 13.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates                      : EC50 (Daphnia magna (Water flea)): 27 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants                      : EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.35 mg/l  
End point: Biomass  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity)                      : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)                      : NOEC: 0.067 mg/l  
End point: number of offspring  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211 or Equivalent

LOEC: 0.15 mg/l  
End point: number of offspring  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211 or Equivalent

M-Factor (Chronic aquatic toxicity)                      : 1

Toxicity to soil dwelling organisms                      : NOEC: < 500 mg/kg  
Exposure time: 14 d  
End point: mortality  
Species: Eisenia fetida (earthworms)  
Method: Other guidelines

Toxicity to terrestrial organisms                      : oral LD50: > 2,250 mg/kg  
Species: Anas platyrhynchos (Mallard duck)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

LC50: > 2,250 mg/kg  
Exposure time: 1 d  
End point: mortality  
Species: *Colinus virginianus* (Bobwhite quail)

NOEC: 25 micrograms/bee  
Exposure time: 1 d  
End point: mortality  
Species: *Apis mellifera* (bees)

LC50: 2,847 ppm  
Exposure time: 5 d  
End point: mortality  
Species: *Colinus virginianus* (Bobwhite quail)

### **fumaric acid:**

- Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (water flea *Daphnia magna*): 212 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: EPA-660/3-75-009
- Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- NOEC (*Pseudokirchneriella subcapitata* (green algae)): 100 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50 (activated sludge): > 300 mg/l  
End point: Respiration rates.  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209

## 12.2 Persistence and degradability

### **Product:**

- Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

---

### Components:

#### **cymoxanil (ISO):**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, domestic, non-adapted  
Concentration: 20 mg/l  
Result: Readily biodegradable.  
Biodegradation: 11 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B or Equivalent  
Remarks: 10-day Window: Fail

Test Type: aerobic  
Inoculum: activated sludge, domestic, non-adapted  
Concentration: 2 mg/l  
Result: Readily biodegradable.  
Biodegradation: 14 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D or Equivalent  
Remarks: 10-day Window: Fail

#### **fumaric acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 67.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: 10-day Window: Pass

### 12.3 Bioaccumulative potential

#### Components:

#### **cymoxanil (ISO):**

Partition coefficient: n-octanol/water : log Pow: 4.7 (20 °C)  
pH: 7  
Method: OECD Test Guideline 107 or Equivalent  
GLP: yes  
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

#### **Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Partition coefficient: n-octanol/water : Remarks: No data available for this product.

#### **fumaric acid:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 3  
Method: Estimated.

Partition coefficient: n- : Remarks: Bioconcentration potential is low (BCF < 100 or Log

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

octanol/water

Pow < 3).

log Pow: 4.02

Method: OECD Test Guideline 107

### 12.4 Mobility in soil

#### **Product:**

Distribution among environmental compartments : Remarks: Under actual use conditions, there is no reasonable expectation of any movement of the product from the top soil layer.

#### **Components:**

##### **cymoxanil (ISO):**

Distribution among environmental compartments : Koc: 2.7 - 87.1

##### **fumaric acid:**

Distribution among environmental compartments : Koc: 7.33  
Method: Estimated.

### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Components:**

##### **cymoxanil (ISO):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

##### **fumaric acid:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Components:

##### **cymoxanil (ISO):**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

##### **fumaric acid:**

Ozone-Depletion Potential : Regulation: (Update: 07/27/2012, DJ)  
Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.  
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 3077

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version 1.0      Revision Date: 08.04.2024      SDS Number: 800080000250      Date of last issue: -  
Date of first issue: 08.04.2024

---

**RID** : UN 3077  
**IMDG** : UN 3077  
**IATA** : UN 3077

### 14.2 UN proper shipping name

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cymoxanil)  
**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cymoxanil)  
**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Cymoxanil)  
**IATA** : Environmentally hazardous substance, solid, n.o.s. (Cymoxanil)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Remarks : Stowage category A

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 956

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes(Cymoxanil)

### 14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

---

## SECTION 16: Other information

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

### Full text of H-Statements

H302	: Harmful if swallowed.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H361fd	: Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
IE OEL	: List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - Interna-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



## OPTION™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.04.2024	800080000250	Date of first issue: 08.04.2024

---

tional Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

EC-Number - European Community number REACH - Regulation (EC) No 1907/2006 of the European Parliament and of Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

### Further information

Other information : Take notice of the directions of use on the label.

### Classification of the mixture:

Acute Tox. 4	H302
Skin Sens. 1	H317
Repr. 2	H361fd
STOT RE 2	H373
Aquatic Chronic 1	H410

### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Calculation method
Calculation method

Product code: GF-4175

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / 6N