according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Ireland and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TITUS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide

stance/Mixture

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Limited

Melbourn Science Park - Cambridge Road - Unit H4, Building H

Melbourn Cambridgeshire - SG8 6HB

UNITED KINGDOM

Customer Information : +44 8006 89 8899

Number

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

SGS: +353 818 663 627

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat- H410: Very toxic to aquatic life with long lasting

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

egory 1 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

*

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous

waste.

Additional Labelling

EUH208 Contains Rimsulfuron. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

	Index-No. REACH Registration number		
Rimsulfuron	122931-48-0	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	25
Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	Eye Irrit. 2; H319	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Never give anything by mouth to an unconscious person.

For specialist advice contact the National Poisons Information Service.Healthcare Professionals: (01) 809 2566 or (01) 837 9964 (24h per day –365 days per year). Public Poisons Infor-

mation Line: (01) 809 2166(8am-10pm).

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

Artificial respiration and/or oxygen may be necessary.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off immediately with soap and plenty of water.

In the case of skin irritation or allergic reactions see a physi-

cian.

Wash contaminated clothing before re-use.

In case of eye contact : If easy to do, remove contact lens, if worn.

Hold eye open and rinse slowly and gently with water for 15-

20 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Obtain medical attention.

DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

If victim is conscious: Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No cases of human intoxication are known and the symptoms

of experimental intoxication are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

08.04.2024 800080000886 Date of first issue: 08.04.2024 1.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

Dry chemical

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health. Applying foam will release significant amounts of hydrogen

gas that can be trapped under the foam blanket.

Hazardous combustion prod- :

Nitrogen oxides (NOx)

Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary. Use personal protective equipment.

Specific extinguishing meth-

ods

Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evo-

lution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Further information Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

> Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Local or national regulations may apply to releases and dis-

posal of this material, as well as those materials and items

employed in.

Pick up and arrange disposal without creating dust.

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

See Section 13, Disposal Considerations, for additional infor-

mation.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

national regulations.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Store in a closed container. Keep in properly labelled containers. Store in accordance with the particular national regula-

tions.

Advice on common storage : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No

1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Disodium hydrogen phosphate	Workers	Inhalation	Long-term systemic effects	4.07 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3.04 mg/m3
Potassium dihydrogen phosphate (KH2PO4)	Workers	Inhalation	Acute local effects	4.07 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3.04 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Disodium hydrogen phosphate	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Intermittent use/release	0.5 mg/l
	Sewage treatment plant	50 mg/l
Potassium dihydrogen phosphate (KH2PO4)	Fresh water	0.05 mg/l
	Marine water	0.005 mg/l
	Intermittent use/release	0.5 mg/l
_	Sewage treatment plant	50 mg/l

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Use sufficient ventilation to keep employee exposure below recommended limits.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Remarks : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves

clean them with soap and water.

Skin and body protection : Full protective clothing Type 4 (EN 14605)

PPE required for early entry to treated areas that is permitted underthe Worker Protection Standard and that involves contact with anythingthat has been treated, such as plants, soil,

or water, is: Coveralls

Chemical resistant gloves made of any waterproofmaterial

Shoes plus socks

Respiratory protection : Manufacturing and processing work:

Half mask with a particle filter FFP1 (EN149)

Mixer and loaders must wear:

Half mask with a particle filter FFP1 (EN149)

Spray application - outdoor: Tractor / sprayer with hood:

No personal respiratory protective equipment normally re-

quired.

Tractor / sprayer without hood:

Low application:

Half mask with a particle filter FFP1 (EN149)

Backpack / knapsack sprayer:

Low application:

Half mask with a particle filter FFP1 (EN149)

Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally re-

quired.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case

of chemical or physical damage or if contaminated.

Only protected handlers may be in the area during applica-

tion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : beige

Odour : very faint

Odour Threshold : not determined

Melting point/freezing point : No data available

Boiling point/boiling range : Not applicable

Flammability : The product is not flammable.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

0.15 vol %

Flash point : Not applicable

Auto-ignition temperature : 380 °C

pH : 7 (25 °C)

Concentration: 10 g/L

Viscosity

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Relative density : No data available

Bulk density : 784 kg/m3

Relative vapour density : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : 380 °C

Evaporation rate : Not applicable

Surface tension : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

No hazards to be specially mentioned.

None known.

10.4 Conditions to avoid

Conditions to avoid : Do not expose to temperatures above: 100 °C

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong bases

10.6 Hazardous decomposition products

Carbon oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Information source: Internal study report

Acute inhalation toxicity : LC50 (Rat): > 7.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Information source: Internal study report

Components:

Rimsulfuron:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): > 205.4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Method: Directive 67/548/EEC, Annex V, B.2.

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.3.

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute dermal

toxicity

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Information source: Internal study report

Components:

Rimsulfuron:

Species : Rabbit

Method : Directive 67/548/EEC, Annex V, B.4.

Result : No skin irritation

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Information source: Internal study report

Components:

Rimsulfuron:

Species : Rabbit

Method : Directive 67/548/EEC, Annex V, B.5.

Result : No eye irritation

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Species : Rabbit Result : Eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.
Remarks : Information source: Internal study report

Components:

Rimsulfuron:

Test Type : Human Cell Line Activation Test (h-CLAT)

Species : Not tested on animals

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

Rimsulfuron:

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects., Animal testing did not show any mutagenic

effects.

Carcinogenicity

Components:

Rimsulfuron:

Carcinogenicity - Assess-

ment

: Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

Rimsulfuron:

Reproductive toxicity - As-

In animal studies, did not interfere with reproduction.

sessment Development effects were not observed in laboratory animals.

STOT - single exposure

Product:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Components:

Rimsulfuron:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

STOT - repeated exposure

Product:

Assessment : Evaluation of available data suggests that this material is not

an STOT-RE toxicant.

Repeated dose toxicity

Components:

Rimsulfuron:

Remarks : In animals, effects have been reported on the following or-

gans: Liver

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Rimsulfuron:

Based on physical properties, not likely to be an aspiration hazard.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Based on physical properties, not likely to be an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Lemna gibba (duckweed)): 0.0315 mg/l

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

NOEC (Lemna gibba (duckweed)): 0.02 mg/l

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.0551 mg/l

End point: Biomass Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 4.565

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 221

GLP: yes

ErC50 (Anabaena flos-aquae (cyanobacteria)): 4.0 mg/l

Exposure time: 96 h

GLP: yes

NOEC (Lemna gibba (duckweed)): 0.02 mg/l

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Exposure time: 7 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

ErC50 (Pseudokirchneriella subcapitata (microalgae)): 1.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 221

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chron-

aqualic invertebrates (Cri

ic toxicity)

NOEC: 26 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Toxicity to soil dwelling or-

ganisms

LC50: > 1,000 mg/kg Exposure time: 14 d

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

Toxicity to terrestrial organ-

isms

LD50: > 2.250 mg/kg

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

oral LD50: > 2,250 mg/kg

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-1

Remarks: Material is practically non-toxic to birds on an acute

basis (LD50 > 2000 mg/kg).

LC50: > 5.620 mg/kg Exposure time: 8 d

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-2

dietary LC50: > 5.620 mg/kg

Exposure time: 8 d

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-2

Remarks: Material is practically non-toxic to birds on an acute

basis (LD50 > 2000 mg/kg).

oral LD50: 41.1 µg/bee Exposure time: 48 h

Species: Apis mellifera (bees) Method: OECD Test Guideline 213

GLP:yes

contact LD50: 17.8 µg/bee Exposure time: 48 d

Species: Apis mellifera (bees) Method: OECD Test Guideline 214

GLP:yes

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Components:

Rimsulfuron:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 390 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 360 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): 1.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.023 mg/l

End point: Frond Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.017 mg/l

End point: Biomass Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

ErC50 (Anabaena flos-aquae (cyanobacteria)): 5.2 mg/l

Exposure time: 96 h

Method: US EPA Test Guideline OPPTS 850.5400

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC: 110 mg/l

Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Test Type: Early Life-Stage

Method: OECD Test Guideline 210

GLP: yes

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.82 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

GLP: yes

Toxicity to soil dwelling or-

ganisms

: LC50: 1,000 mg/kg

Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207

GLP:yes

Toxicity to terrestrial organ-

isms

oral LD50: > 2,250 mg/kg

Species: Colinus virginianus (Bobwhite quail) Method: US EPA Test Guideline OPP 71-1

GLP:yes

oral LD50: > 2,000 mg/kg

Species: Anas platyrhynchos (Mallard duck) Method: US EPA Test Guideline OPP 71-1

GLP:yes

dietary LC50: > 5,620 mg/kg

Exposure time: 8 d

Species: Colinus virginianus (Bobwhite quail)

Method: OECD Test Guideline 205

dietary LC50: > 5,620 mg/kg

Exposure time: 8 d

Species: Anas platyrhynchos (Mallard duck)

Method: OECD Test Guideline 205

contact LD50: 1,000 ppm Species: Apis mellifera (bees)

Method: OEPP/EPPO Test Guideline 170

GLP:yes

oral LD50: 1,000 ppm

Species: Apis mellifera (bees)

Method: OEPP/EPPO Test Guideline 170

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Not readily biodegradable.

Estimation based on data obtained on active ingredient.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Components:

Rimsulfuron:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

Estimation based on data obtained on active ingredient.

Components:

Rimsulfuron:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

: Remarks: No relevant data found.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Partition coefficient: n-

octanol/water

: Remarks: No data available for this product.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

Rimsulfuron:

Assessment : This substance is not considered to be persistent, bioaccumu-

lating and toxic (PBT).. This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Assessment : This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Components:

Rimsulfuron:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Alkylnaphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number or ID number

 ADR
 : UN 3077

 RID
 : UN 3077

 IMDG
 : UN 3077

 IATA
 : UN 3077

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Rimsulfuron)

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Rimsulfuron)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Rimsulfuron)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Rimsulfuron)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Rimsulfuron)

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the Euro- E1 ENVIRONMENTAL HAZARDS

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

08.04.2024 800080000886 Date of first issue: 08.04.2024 1.0

pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of H-Statements

H317 : May cause an allergic skin reaction. : Causes serious eye irritation. H319 H400

Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute Short-term (acute) aquatic hazard Aquatic Chronic Long-term (chronic) aquatic hazard

Eve Irrit. Eve irritation Skin Sens. Skin sensitisation

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM -American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN -United Nations.

EC-Number - European Community number REACH - Regulation (EC) No 1907/2006 of the European Parliament and of Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Further information

Other information : Take notice of the directions of use on the label.

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



TITUS

Version Revision Date: SDS Number: Date of last issue: -

1.0 08.04.2024 800080000886 Date of first issue: 08.04.2024

Classification of the mixture:

Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment
Aquatic Chronic 1 H410 Based on product data or assessment

Product code: GF-3961

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / 6N