

Technical Information Sheet

Broadway® Star for control of wild oats, ryegrass, bromes and broad-leaved weeds in spring wheat.

Key facts

Product Registration Number:	PCS 05582
Active Ingredient:	14.2g/kg florasulam + 70.8 g/kg pyroxsulam
Pack size:	1.06 Kg (5.3 hectares)
Formulation:	Water Dispersible Granule
Maximum Individual Dose:	200 g/ha
Maximum Number of Applications:	1 per crop
Application Timing:	March 1st GS 21 up to May 31st GS 32 of the crop inclusive
Water Volumes:	100-200 Litres water/ha. Optimum 130-150 Litres water/ha
Spray Quality:	FINE to Medium as defined by BCPC
Nozzles:	Spring applications supported: CFF, VPF, Twin Fluid and Air Inclusion

Best Use Advice – Spring Wheat

- On label approval for use in spring wheat
- Includes all spring varieties irrespective of when they are sown
- Application to spring wheat – March 1st GS 21 up to May 31st GS 32 of the crop inclusive
- Spring wheat is defined by CRD as wheat planted after February 1st regardless of varietal breeding
- Max application rate 200g/ha
- One application per crop
- Apply with an adjuvant. Same adjuvant support as for winter wheat:
 - Activator 90 and Torpedo II
- No differences between applications on winter and spring crops relating to:
 - Rotational cropping
 - Cultivations for following crops
 - Same recommendations regarding active growth, nozzle / water volume etc. Rainfast in 1 hour
- No carry-over concerns – short half-life = rotational and cultivation flexibility
- To avoid subsequent injury to crops other than wheat, rye and triticale, spray equipment used for Broadway Star applications should be thoroughly cleaned with All Clear Extra
- Wide range of broad-leaved weeds controlled including poppy, cleavers, brassica weeds, cranesbill, groundsel, speedwells, pansy and many more
- Control of wild oats up to GS23 of wild oats
 - Apply before wild oats start to form nodes
 - Do not use as a rescue treatment for wild oats

Visit us at corteva.ie

USE PLANT PROTECTION PRODUCTS SAFELY. Always read the label and product information before use.

For further information including warning phrases and symbols refer to label.

Corteva Agriscience, CPC2 Capital Park, Fulbourn, Cambridge CB21 5XE. Tel: 01462 457272.

®, ™ Trademarks of DuPont, Dow AgroSciences and Pioneer and affiliated companies or their respective owners.

All manufacturers tradenames and trademarks are duly acknowledged.

Marketing Company: Whelehan Crop Protection, Suite 11/12 Bunkila Plaza, Bracetown Business Park, Clonee, Dublin 15 Ireland

Tel 00 353 1 4688900 Email cropprotection@tpwhelehan.ie

Broadway® Star contains florasulam and pyroxsulam.

April 2020.

Tank Mixing

- Broadway® Star is physically compatible with a range of crop protection products including herbicides, fungicides and micro-nutrients.
- Please leave any interval of 7 days between Broadway Star and any plant growth regulators, except for chlormequat when applied at no more than half rate.
- Refer to <https://www.corteva.ie/tools-and-advice/tank-mixes.html> for further information on compatibilities
- No joint applications with ALS containing products are currently supported on spring wheat

Weed Spectrum

Weed	200 g/ha + adjuvant	Weed	200 g/ha + adjuvant
Bindweed (black)	S 100 mm	Nightshade (black)	S 2 tl
Bindweed (hedge)	No data	Orache	T
Burr Chervil	S 6 cm	Pale persicaria	S 6 tl
Charlock	S 8 tl	Pansy (field)	S 8 tl
Chickweed	S 150 mm	Parsley piert	MS
Chickweed (mouse ear)	MS	Poppy (common field)	S 8 tl
Cleavers	S 170 mm	Red dead nettle	T
Clover	MS	Redshank	S 4 tl
Common couch	MS	Scarlet pimpernel	MS
Corn marigold	S 4 tl	Shepherd's needle	S 6 tl
Cornflower	MS	Shepherd's purse	S b4 flowering
Docks (from seed)	MS	Sow thistle	T
Fat-hen	T	Speedwell (common field)	S b4 flowering
Fool's parsley	MS	Speedwell (ivy leaved)	S b4 flowering
Forget me not	S 6 tl	Sun spurge	T
Fumitory (common)	T	Tame oat	MS
Garlic mustard	S 4 tl	Thistle (creeping from seed)	MS
Geranium spp.	S b4 stem extension	Volunteer beans	S 8 tl
Groundsel	S 8 tl	Volunteer beet	S 4 tl
Hedge mustard	S 8 tl	Volunteer borage	S 4 tl
Hemp nettle	S 4 tl	Volunteer linseed	MS
Henbit dead nettle	T	Volunteer OSR	S b4 flowering
Knotgrass	S 2 tl	Volunteer peas	S 6 tl
Mayweeds	S b4 flowering	Volunteer potatoes	MS
Mugwort	T	Wild oat	S GS 12-23
Nettle (small)	S 4 tl	Wild radish	S b4 flowering

Key: bold - label weeds; tl - true leaves; S - Susceptible MS - Moderately susceptible; T Tolerant
 Non-Label weeds listed as an indication of the effect that would be expected to be achieved based on limited data - these do not constitute a recommendation; just an indication of the level of control that might be achieved